



DW-MAX-II-8250 8 CHANNELS DIGITAL WATCHDOG DVR WITH 250 GB



This DW-MAX-II-8250 offers recording capability across 4, 8, 16 channels of video and up to 4 channels of audio. It allows live video and stored images to be of clearest, most precise resolution but sustain file sizes that are 30 to 50 percent smaller than conventional MPEG4 images resulting in more efficient use of storage.

This unit includes Programmable E-mail Event Notifications, One Touch Video Back Up, One Touch Reverse Playback and One Touch Emergency Recording. With an emphasis on simplicity and Performance, the MAX-II Series also includes an extremely robust CMS and Web Based Client/Multi User Access.

Features

- Real time viewing and recording.
- 240fps 8ch Video/2ch audio
- MPEG 4 part 10 Compression (H.264)
- DVD-RW/USB Port
- Front Panel Jog Shuttle Control
- E-mail Event Notifications
- Secure Channel
- NTP (Network Time Server) available
- Watermark Images
- 8 sensor input, 1 sensor output
- Mouse Driven, IR remote control Menus

Advanced Features

- One Touch Video back up
- One Touch reverse playback
- One Touch Emergency Recording
- Web based Client w/ Multi user access
- Simple & Free DDNS support
- Central Monitoring Software

Remote Center Features

- Turbo Live View
- Remote DVR Configuration
- Remote DVR Event Search
- Book Mark Search
- Remote Back Up
- Back Up Player Built In
- Two Way Audio Communication

| Technical Specifications | |
|----------------------------------|------------------------------------|
| Operation System | RTOS/ Windows CE |
| Channels | 8 |
| CMS Capable | Yes |
| Video input (BNC) | 8 ch |
| VGA out | 1 |
| TV output | N/A |
| Video output TV output optional | N/A |
| Video loop Back | 8 ch |
| Display Speed (NTSC/PAL) | 240 fps |
| Alarm Email Notification | Yes |
| Record speed NTSC/PAL) fps max. | 240 fps |
| Compression Type | MPEG 4 part 10 Compression (H.264) |
| Post Alarm Recording | Yes |
| Pre Alarm Recording | Yes |
| Pre Alarm Recording SEC | 5 |
| Recording Mode | Schedule, sensor, motion |
| NTSC | 360x240 |
| PAL | 352x288 |
| Picture In Picture (PIP) | Yes |
| Sensor Control | 8 input |
| Sensor Alarm Output: | 8/1 |
| Motion Detection | Yes |
| Search | Date and Time, Event, Search Bar |
| Support Digital Signatures | Yes |
| Water Marking | Yes |
| Multiple Operations | Quadplex |
| Multi-Screen Display | 1, 4, 8 |
| Pan Tilt/Zoom | Yes |
| Digital Zoom | Yes |
| Audio Input (RCA) | 2 |
| Audio Output | 1 |
| Default Storage (HDD) | 250 GB |
| Storage Expandability – Internal | Up-to 2 TB |
| Storage Expandability – External | N/A |
| Backup | DVDRW/USB/VCR/Network |
| Export Device | DVDRW, USB |
| Multiple User Authorization | Max 10 user |
| Remote Operation Configuration | Yes |

| | |
|--------------------------|--|
| Wireless Remote Controll | Yes |
| Network | Yes |
| q Web Server | Yes |
| Power | DC 12V 5A |
| Language Supported | English, Spanish, German, Portuguese, French |
| Case Size | 436mmX396mmx88mm |
| Warranty (Limited) | 1 year |
| Case Weight | 20 LBS (Without HDD) |

Copyright © 2001-2010 RF-LINKS